

# GRP vs Traditional Materials

Compare	GRP	Steel	Aluminium	Timber
<b>Corrosion Resistance</b>	<b>Excellent Corrosion Resistance</b> Can be designed to suit most chemical environments	<b>Low Corrosion Resistance</b> Subject to oxidation and corrosion. Requires painting or galvanizing.	<b>Low Corrosion Resistance</b> Subject to galvanic corrosion. Requires anodizing or other coatings	<b>Low Corrosion Resistance</b> Can warp, rot and decay from exposure to moisture, water and chemicals. Requires coating or preservatives.
<b>Weight</b>	<b>Lightweight</b> (up to 80% lighter than steel & approx. 30% the weight of aluminium)	<b>Extremely Heavy</b> Requires heavy lifting gear to manoeuvre.	<b>Lightweight</b> (about 1/3 that of copper or steel)	<b>Dependent on size</b>
<b>Slip Resistance For Flooring</b>	<b>Extremely High Slip Resistance</b> Engineered Composites integral grit finish offers slip resistance for a walking surface even in wet or oily conditions	<b>Little or No Slip Resistance</b> A major health & safety risk for companies	<b>Little or No Slip Resistance</b> A major health & safety risk for companies	<b>Little or No Slip Resistance</b> A major health & Safety risk for companies
<b>Conductivity</b>	<b>Non-Conductive</b> No earthing required	<b>Conducts Electricity</b> Earthing required	<b>Conducts Electricity</b> Earthing required	<b>Non-Conductive</b> No earthing required
<b>Strength</b>	<b>High Strength-to-Weight Ratio</b> Stronger than steel on a kg-for-kg basis	<b>High Strength</b> Heavy in weight to achieve its high strength properties	<b>Low Strength</b>	<b>Dependant on Size</b> To achieve reasonable strength properties product sizes have to be extremely large
<b>Impact Resistance</b>	<b>High Impact Resistance</b> Will not permanently deform under impact	<b>Medium to Low Impact Resistance</b> Can permanently deform under impact	<b>Low Impact Resistance</b> Easily deforms under impact	<b>Medium to Low Impact Resistance</b> Can permanently deform under impact
<b>Fabrication</b>	<b>Easily Field Fabricated</b> Can be easily field fabricated using simple carpenter tools with carbon or diamond tip blades. Lightweight for easier erection and installation.	<b>Fabrication more Complex</b> Often requires welding and cutting torches. Heavier material requires special handling equipment to erect and install.	<b>Fabrication more Complex</b> Welding, brazing, soldering or mechanical joining required.	<b>Easily Fabricated</b> Fabricated using tools such as jigsaws and circular saws.
<b>Maintenance</b>	<b>Maintenance Free</b> GRP has a design life of 50 years	<b>Constant Maintenance Required</b> Due to rust, damage, or re-painting. High cost implications.	<b>Constant Maintenance Required</b> Due to rust, damage, or re-painting. High costs implications.	<b>Constant Maintenance</b> Due to rot, decay, re-painting, or insect attacks. High cost implications.
<b>Cost</b>	<b>Long Term Cost Savings</b> Lower installation and maintenance costs in industrial application = very low lifecycle costs.	<b>Low Cost, High Maintenance</b> Lower initial material cost, however costly to maintain. High lifecycle costs.	<b>Low Cost, High Maintenance</b> Lower initial material cost, however costly to maintain. High lifecycle costs.	<b>Low Cost, High Maintenance</b> Lower initial material cost, however costly to maintain. High lifecycle costs.
<b>Ergonomic</b>	<b>Good Ergonomic Properties</b> The innate elasticity of GRP provides comfort to workers as it has a slight 'give' underfoot.	<b>No Ergonomic Properties</b> Steel does not provide comfort underfoot. Can lead to back ache for workers who are on-foot for long periods of time.	<b>No Ergonomic Properties</b> N/A	<b>Good Ergonomic Properties</b> Provides comfort underfoot
<b>EMI/RFI Transparency</b>	<b>Transparent to EMI/RFI transmissions</b>	<b>Can interfere with EMI/RFI transmissions</b>	<b>Can interfere with EMI/RFI transmissions</b>	<b>Transparent to EMI/RFI transmissions</b>
<b>Aesthetics</b>	<b>Pigments added to Resin</b> The pigments provide colour throughout the part. No maintenance required. Bespoke colours available.	<b>Painted or Dyed for Colour</b> To maintain colour and corrosion resistance, repainting may be required.	<b>Painted or Dyed for Colour</b> To maintain colour and corrosion resistance, repainting may be required.	<b>Primed and Painted for Colour</b> To maintain colour and corrosion resistance, repainting may be required